

## Application Data

# TBAc™ Solvent

(Tert-Butyl Acetate)

An Active Solvent for Many Coatings Resins

TBAc in  
Coatings  
Resins

Resin		Wt. Percent	Viscosity		
			t-Butyl Acetate	n-Butyl Acetate	Toluene
Acryloid B-66*	Acrylic	40%	1,450	472	246
Joncryl 587*	Styrenated Acrylic	50%	4,560	1,230	1,580
Epon 828*	Bis-phenol A Epoxy	80%	197	187	89
RS ½ sec.	Nitrocellulose	12%	49	39	Insoluble
50-5071*	Long Oil Soya Alkyd	50%	79	59	69
Versamid 115*	Polyamide	75%	3,380	1,710	1,940
Cymel 303*	Melamine	90%	659	403	533
Desmodur N 3300*	Aliph. Isocyanate	90%	983	688	727
57-5776*	HS Polyester	73%	885	531	550
57-5789*	Polyester	75%	718	796	747
Beckosol 12-054	Short TOFA Alkyd	50%	2,240	1,020	5,400
Beckosol 11-035	Medium Soya Alkyd	50%	108	69	89
Beckosol 12-102	Chain-stopped Alkyd	50%	885	433	1,690

*Brookfield Viscosity in cps, 25C, #52 Spindle, 10 rpm*

\*Acryloid is a trademark of Rohm & Haas Co.

\*Joncryl is a trademark of S.C. Johnson Polymers

\*Epon is a trademark of Shell Chemical Co.

\*Versamid is a trademark of Henkel Corp.

\*Cymel is a trademark of Cytec Industries

\*Desmodur is a trademark of Bayer Corp.

\*50-5071, 57-5776, and 57-5789 are products of Eastman Chemical Co.

This information is believed to be accurate as of the date of publication. It is the sole responsibility of the customer to determine whether the product is appropriate and suitable for the customer's specific use. Specific end uses may require approval by appropriate regulatory agencies. Lyondell Chemical Company makes no warranties, express or implied, regarding the product or information contained therein. The applicable Material Safety Data Sheet should be reviewed by customer before handling the Lyondell Chemical product. Lyondell Chemical Company disclaims any liability for infringement of any patent by reason of customer's use of any Lyondell Chemical Company products in combination with other materials or in any process.

World Headquarters  
Lyondell Chemical Company  
1221 McKinney  
Houston, TX 77010  
Tel (713) 652-7200  
Toll-free (888) 777-0232  
MSDS Hotline: (800) 700-0946

European Headquarters  
Lyondell Chemical Europe, Inc.  
P. O. Box 2416  
3000 CK Rotterdam  
The Netherlands  
Tel (31) 10 275-5500  
Tel (33) 3 44 24 92 05 (tech svc)

Lyondell South America  
Av Roque Petroni Jr,  
999, cj 123  
Sao Paulo, SP 04707-910  
Brazil  
Tel (55) 11-5185-9300

Asian Headquarters  
Lyondell Asia Pacific, Ltd.  
41<sup>st</sup> Floor – The Lee Gardens  
33 Hysan Avenue  
Causeway Bay, Hong Kong  
Tel (852) 28822-668  
Tel (33) 3 44 24 92 05 (tech svc)