


Application Data

MPDiol® Glycol

Improves Gloss in Floor Finish



Results of adding MPDiol glycol² and/or ARCOSOLV® TPM² to a standard floor finish containing Syntran³resins. MPDiol Glycol and TPM improved the general appearance and depth of gloss when added to a typical floor finish, substituting MPDiol glycol and/or TPM for the regularly used E-Series solvent. The formulation used is on the back of this page.

Formulations
from
Interpolymer
Corporation

Ultra High Speed Floor Finish Based on SYNTRAN³ Resins

Formulation F-10-052-8

22% N.V.

Mix in order listed

	WT. %
Water	37.61
Bactericide	Q.S.
Premixed Plasticizers:	
• Tributoxyethyl Phosphate	1.76
• P-Series Glycol Ether/MPDiol Glycol ²	6.20
• 1% Active Fluorad FC-129 Solution ¹	0.67
Syntran 1299 @ 38% N.V.	41.0
Syntran PA- 1465 @ 38% N.V.	4.26
Syntran PA- 1445 @ 40% N.V.	4.05

Application Data

MPDiol® Glycol

Improves Gloss in Floor Finish

Syntran 6150 W/E @ 40% N.V.	2.02
Syntran 1560 @ 25% N.V.	2.43
Defoamer	Q.S.
YIELD	100.0

Adjust pH to 8.6 ± 0.2

Polymer / Resin / Wax Ratio: 77 / 3 / 8:8:4

¹3M Company, Specialty Chemicals Division,
3M Center, St Paul, MN 55144

²Lyondell Chemical Company

³Products of Interpolymer Corporation, Canton, Massachusetts

This information is believed to be accurate as of the date of publication. It is the sole responsibility of the customer to determine whether the product is appropriate and suitable for the customer's specific use. Specific end uses may require approval by appropriate regulatory agencies. Lyondell Chemical Company makes no warranties, express or implied, regarding the product or information contained therein. The applicable Material Safety Data Sheet should be reviewed by customer before handling the Lyondell Chemical product. Lyondell Chemical Company disclaims any liability for infringement of any patent by reason of customer's use of any Lyondell Chemical Company products in combination with other materials or in any process.

World Headquarters
Lyondell Chemical Company
1221 McKinney
Houston, TX 77010
Tel (713) 652-7200
Toll-free (888) 777-0232
MSDS Hotline: (800) 700-0946

European Headquarters
Lyondell Chemical Europe, Inc.
P. O. Box 2416
3000 CK Rotterdam
The Netherlands
Tel (31) 10 275-5500
Tel (33) 3 44 24 92 05 (tech svc)

Lyondell South America
Av Roque Petroni Jr,
999, cj 123
Sao Paulo, SP 04707-910
Brazil
Tel (55) 11-5185-9300

Asian Headquarters
Lyondell Asia Pacific, Ltd.
41st Floor – The Lee Gardens
33 Hysan Avenue
Causeway Bay, Hong Kong
Tel (852) 28822-668
Tel (33) 3 44 24 92 05 (tech svc)