

TBAc™ Solvent

(Tert-Butyl Acetate)
Material Compatibility



Testing Protocol

Materials were immersed in a pure solvent for 6 weeks at room temperature and 50°C. After drying, samples were evaluated for changes in hardness, weight, and dimension. Compatibility was determined as follows:

- Recommended: Little or no change in properties
- Use Caution: Changes observed might be indicative or problem
- Not Recommended: >25% change in hardness or obvious visual damage

Material Compatibility Chart

Material	Compatibility
Nitrile Rubber	Recommended
Teflon	Recommended
Butyl Rubber	Recommended
ABS	Not Recommended
Silicon	Not Recommended
DPDM	Use Caution
Nylon	Recommended
Natural Rubber	Not Recommended
Viton	Not Recommended
Neoprene	Not Recommended
Polyethylene	Recommended
Polypropylene	Recommended
PolyCarbonate	Use Caution

Before using a product sold by a company of the LyondellBasell family of companies, users should make their own independent determination that the product is suitable for the intended use and can be used safely and legally. SELLER MAKES NO WARRANTY; EXPRESS OR IMPLIED (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY WARRANTY) OTHER THAN AS SEPARATELY AGREED TO BY THE PARTIES IN A CONTRACT.

This product(s) may not be used in:
 (i) any U.S. FDA Class I, Health Canada Class I, and/or European Union Class I medical devices, without prior notification to Seller for each specific product and application; or
 (ii) the manufacture of any of the following, without prior written approval by Seller for each specific product and application: U.S. FDA Class II Medical Devices; Health Canada Class II or Class III Medical Devices; European Union Class II Medical Devices; film, overwrap and/or product packaging that is considered a part or component of one of the aforementioned medical devices; packaging in direct contact with a pharmaceutical active ingredient and/or dosage form that is intended for inhalation, injection, intravenous, nasal, ophthalmic (eye), digestive, or topical (skin) administration; tobacco related products and applications, electronic cigarettes and similar devices, and pressure pipe or fittings that are considered a part or component of a nuclear reactor. Additionally, the product(s) may not be used in: (i) U.S. FDA Class III Medical Devices; Health Canada Class IV Medical Devices; European Class III Medical Devices; (ii) applications involving permanent implantation into the body; (iii) life-sustaining medical applications; and (iv) lead, asbestos or MTBE related applications. All references to U.S. FDA, Health Canada, and European Union regulations include another country's equivalent regulatory classification.

Users should review the applicable Safety Data Sheet before handling the product.

Alkylate, Duopac, Duoprime, Filmex, MPDIOL, Polymeg, SAA-100, SAA-101, TBAc, Tebol, T-Hydro, and Tufflo are trademarks owned or used by the LyondellBasell family of companies.

Duopac, Duoprime, Filmex, MPDIOL, Polymeg, Tebol, T-Hydro and Tufflo are registered in the U.S. Patent and Trademark Office.

Houston, Texas, USA | Tel: +1 713 309 7200 or toll-free within USA +1 888 777 0232
 Rotterdam, The Netherlands | Tel: +31 10 275 5500
 Hong Kong, China | Tel: +852 2882 2668