

## Application Data

# Dissolution of Sodium Stearate


## In MPDiol® Glycol and Other Glycols

### Glycols Tested

- MPDiol glycol
- Propylene glycol USP
- Dipropylene glycol
- 1,3 butylene glycol

### Test Method

- Sodium stearate and the glycols are mixed and the heating temperature is increased until the solution becomes clear.
- The temperature at which all the sodium stearate is dissolved, is reported on the graph below.



This information is believed to be accurate as of the date of publication. It is the sole responsibility of the customer to determine whether the product is appropriate and suitable for the customer's specific use. Specific end uses may require approval by appropriate regulatory agencies. Lyondell Chemical Company makes no warranties, express or implied, regarding the product or information contained therein. The applicable Material Safety Data Sheet should be reviewed by customer before handling the Lyondell Chemical product. Lyondell Chemical Company disclaims any liability for infringement of any patent by reason of customer's use of any Lyondell Chemical Company products in combination with other materials or in any process.

World Headquarters  
Lyondell Chemical Company  
1221 McKinney  
Houston, TX 77010  
Tel (713) 652-7200  
Toll-free (888) 777-0232  
MSDS Hotline: (800) 700-0946

European Headquarters  
Lyondell Chemical Europe, Inc.  
P. O. Box 2416  
3000 CK Rotterdam  
The Netherlands  
Tel (31) 10 275-5500  
Tel (33) 3 44 24 92 05 (tech svc)

Lyondell South America  
Av Roque Petroni Jr,  
999, cj 123  
Sao Paulo, SP 04707-910  
Brazil  
Tel (55) 11-5185-9300

Asian Headquarters  
Lyondell Asia Pacific, Ltd.  
41<sup>st</sup> Floor – The Lee Gardens  
33 Hysan Avenue  
Causeway Bay, Hong Kong  
Tel (852) 28822-668  
Tel (33) 3 44 24 92 05 (tech svc)