

Premi-SMC in Electric Vehicle Battery Enclosures



As the transportation market shifts from internal combustion engines (ICE) to battery-powered Electric Vehicles (EV), a few things remain consistent; vehicles need to be lighter, more efficient, and have equal or better performance than an ICE.

Premi-SMC (Sheet Molding Compounds) from LyondellBasell are an attractive alternative to traditional materials when it comes to the manufacture of EV battery trays and covers. Furthermore, when using SMC in the compression molding process, Tier 1 and Tier 2 suppliers can experience cost efficiencies when factoring in the life and output of an automotive program.

Premi-SMC Property Range for EV Battery Enclosures

Physical/Mechanicals	Typical	Units	Test Method
Density	1.73 - 1.88	g/cm³	ASTM D792
Tensile Strength	12,000 - 30,500	psi	ASTM D638
Tensile Modulus	1.5 - 3.0	Mpsi	ASTM D638
Izod Notched Impact Strength	10.0 - 32.0	ft-lb/in	ASTM D256

Note: This is a typical property range for SMC in battery enclosures and is not to be considered as specification nor reflective of the full SMC portfolio.

Product Benefits

- Mold complex 3-D geometry
- Part consolidation
- Light-weighting
- I Chemical resistance
- Low shrink
- High strength
- Design flexibility
- I Fast cycle times

ABOUT US

As a leader in the global chemical industry, LyondellBasell strives every day to be the safest, best operated and most valued company in our industry. The company's products, materials and technologies are advancing sustainable solutions for food safety, access to clean water, healthcare and fuel efficiency in more than 100 international markets. LyondellBasell places high priority on diversity, equity and inclusion and is Advancing Good with an emphasis on our planet, the communities where we operate and our future workforce. The company takes great pride in its world-class technology and customer focus. LyondellBasell has stepped up its circularity and climate ambitions and actions to address the global challenges of plastic waste and decarbonization. For more information, please visit www.lyondellbasell.com or follow @LyondellBasell on LinkedIn.

More information about Engineered Composites from LyondellBasell can be found at www.lyb.com/engineeredcomposites

Before using a product sold by a company of the LyondellBasell family of companies ("LyondellBasell"), users should make their own independent determination that the product is suitable for the intended use and can be used safely and legally. LyondellBasell MAKES NO WARRANTY, EXPRESS OR IMPLIED (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) OTHER THAN AS AGREED TO BY LyondellBasell IN THE PRODUCT SALE CONTRACT.

LyondellBasell prohibits or restricts the use of its products in certain applications. For further information on restrictions or prohibitions of use, please contact a LyondellBasell representative.

Users should review the applicable Safety Data Sheet before handling the product.

Premi-SMC is a trademark owned or used by one of the LyondellBasell family of companies and is registered in the U.S. Patent and Trademark Office.

